



WATER SERVICES
ASSOCIATION OF AUSTRALIA

POLYETHYLENE PIPELINE CODE OF AUSTRALIA

Version 3.1

CONTENTS

ACKNOWLEDGMENTS
DISCLAIMER
PUBLICATION DETAILS
COPYRIGHT

FOREWORD

1 INTRODUCTION

1.1 BACKGROUND

1.2 PURPOSE

1.3 SCOPE

1.4 REFERENCED DOCUMENTS

1.5 FURTHER READING

1.6 DEFINITIONS

1.6.1 Squeeze-off

1.6.2 Purple

1.7 ABBREVIATIONS

2 PRESSURE PIPELINES

2.1 GENERAL

2.2 COMPOUND DESIGNATION

2.3 PIPE SIZES

2.4 EQUIVALENT PIPE SIZES

2.5 PRESSURE CLASS

2.6 PIPELINE IDENTIFICATION

2.6.1 Pipes

2.6.2 Pipe colour coding

2.6.3 Colour compounds

2.6.4 Striping

2.6.5 Buried appurtenances

2.6.6 Surface fittings

2.6.7 Above-ground pipelines

2.7 STORAGE

2.8 DELIVERY INSPECTION

2.9 STANDARD LENGTHS

2.10 PIPELINE DESIGN

2.10.1 System life

2.10.2 Structural

2.10.3 Surge and fatigue

2.10.4 Fitting design factors

2.10.5 Pressure pipe design factors

2.10.6 Environment

2.10.7 Crossings

2.10.8 Surface obstructions and clearances

2.10.9 Underground obstructions and services and clearances

2.11 INSTALLATION

2.11.1 Trenching and embedment

2.11.2 Pipelaying

2.11.3 Jointing

- 2.11.4 Pipeline anchorage
- 2.11.5 Tapping
- 2.12 WELD PRE-QUALIFICATION
 - 2.12.1 Butt fusion
 - 2.12.2 Electrofusion
 - 2.12.3 Quality plans
- 2.13 TESTING AND COMMISSIONING
 - 2.13.1 General
 - 2.13.2 Pre-Testing Procedures
 - 2.13.3 Test procedure selection
 - 2.13.4 Basic pressure test (Visual)
 - 2.13.5 General pressure test (Technical)
 - 2.13.5.1 General
 - 2.13.5.2 Test principle
 - 2.13.5.3 Test procedure
 - 2.13.6 Commissioning
- 2.14 MAINTENANCE
 - 2.14.1 Post installation works
 - 2.14.2 Repairs
 - 2.14.3 Squeeze-off
 - 2.14.3.1 Background
 - 2.14.3.2 Recommended squeeze-off practice
- 2.15 ELECTRICAL SAFETY

- 3 NON-PRESSURE PIPELINES
 - 3.1 GENERAL
 - 3.2 COMPOUND DESIGNATION
 - 3.3 PIPELINE SIZES
 - 3.4 STIFFNESS [SN]
 - 3.5 COLOUR
 - 3.6 STORAGE
 - 3.7 STANDARD LENGTH
 - 3.8 FITTINGS
 - 3.9 PIPELINE DESIGN
 - 3.9.1 System Life
 - 3.9.2 Structural
 - 3.9.3 Hydraulic
 - 3.9.4 Environment
 - 3.10 INSTALLATION
 - 3.10.1 Trenching and embedment
 - 3.10.2 Pipelaying
 - 3.10.3 Property connection sewers and maintenance shafts
 - 3.10.4 Jointing
 - 3.10.5 Maintenance holes and maintenance shafts
 - 3.11 Weld PRE-QUALIFICATION
 - 3.11.1 Butt fusion
 - 3.11.2 Electrofusion
 - 3.12 Testing
 - 3.13 MAINTENANCE
 - 3.13.1 Post installation connections
 - 3.13.2 Repairs

- 4 RELINING APPLICATIONS
 - 4.1 GENERAL
 - 4.2 MATERIALS

4.3 PIPE

4.3.1 Nominal diameters

4.3.2 Length

4.3.3 Colour

4.4 FITTINGS

4.5 PIPELINE DESIGN

4.6 INSTALLATION

4.6.1 General

4.6.2 Jointing

4.6.3 Connections

4.7 RELINING TYPES

4.7.1 Sliplining

4.7.2 Pipe cracking and moling

4.7.3 Swagelining

4.8 TESTING

5 PERSONNEL QUALIFICATIONS

5.1 GENERAL

5.2 WELDING

5.3 TRENCHLESS TECHNOLOGY

APPENDIX A

EQUIVALENT PIPE DIAMETERS

APPENDIX B

REFERENCES FOR USE BY DESIGNERS WHEN MANAGING THE RISK OF INSTALLATION, OPERATION AND MAINTENANCE OF PE PIPELINE SYSTEMS IN CONTAMINATED LAND

APPENDIX C

STANDARD DRAWINGS

C1 GENERAL

C2 LISTING OF STANDARD DRAWINGS

C2 LISTING OF STANDARD DRAWINGS

DRAWING NUMBER	ACTIVITY	TITLE	Equivalent 1999 DRAWING NUMBER
PIPELINE LAYOUT			
WAT-1102	Typical Mains Construction	Reticulation Main Arrangements	WAT-200 WAT-201
WAT-1104	Typical Mains Construction	DN 63 PE Cul-de-Sac Arrangement	WAT-202
WAT-1105	Typical Mains Construction	Connection to Existing Mains	
EMBEDMENT / TRENCHFILL AND RESTRAINTS			
WAT-1201	Embedment & Trenchfill	Typical Arrangement	WAT-100
WAT-1211	Buried Crossings	Under Obstructions	WAT-105
INSTALLATION PRACTICES/ STRUCTURES			
WAT-1313	Flanged Joints	Bolting Details	
FABRICATION DETAILS			
WAT-1409	Hydrant Installation Fittings	PE Assemblies	PE-14
ACCESS STRUCTURES			
SEW-1306	Maintenance Holes	Alternative Drop Connections	SEW-206
SEW-1317	Maintenance Holes	Typical MS Cover Arrangements	SEW-212