



WATER SERVICES
ASSOCIATION OF AUSTRALIA

WATER SUPPLY CODE OF AUSTRALIA

Version 3.2

(Incorporating Amendments No. 1)

WSA 03-2011

Contents

List of Figures.....	31
List of Tables.....	34
FRONTMATTER.....	2
GENERAL.....	2
ACKNOWLEDGEMENTS.....	2
PUBLICATION HISTORY.....	2
ABOUT WSAA.....	2
ACKNOWLEDGEMENT OF COUNTRY.....	2
DISCLAIMER.....	3
COPYRIGHT.....	3
ALL RIGHTS RESERVED	3
FOREWORD.....	3
PREFACE.....	4
THE NEED FOR TECHNICAL DOCUMENTATION.....	4
The Benefits of National Codes.....	5
Innovation.....	5
HYPOTHETICAL EXAMPLE OF THE USE OF THE WATER SUPPLY CODE.....	6
Concept Plan.....	6
Agency / Development Agreement.....	6
Project Manager.....	6
Design.....	6
Project Specification.....	7
Constructor.....	7
Testing.....	7
The WSAA Website.....	7
INTRODUCTION.....	7
SCOPE OF CODE.....	7
CODE PURPOSE.....	8
MANDATORY AND INFORMATIVE.....	8
APPENDICES.....	8
PRODUCT SPECIFICATIONS.....	8
General.....	8
Quality Assurance.....	9
Packaging, Transportation and Delivery.....	9
Products and Material Information and Guidance.....	9
Water Industry Standards.....	9
WORK HEALTH AND SAFETY (WHS) LAWS.....	9
NATIONAL STANDARD FOR CONSTRUCTION WORK.....	10
SAFE DESIGN OF STRUCTURES.....	11
PROPOSED AMENDMENTS.....	12
GLOSSARY, ABBREVIATIONS AND REFERENCES.....	38
I GLOSSARY OF TERMS.....	38
II ABBREVIATIONS.....	54
III REFERENCED DOCUMENTS.....	58
PART 1: PLANNING AND DESIGN.....	64

1 GENERAL.....	64
1.1 SCOPE.....	64
1.2 PLANNING AND DESIGN.....	65
1.2.1 Objectives.....	65
1.2.2 Scope and requirements.....	65
1.2.3 Concept plan format.....	65
1.2.4 Critical infrastructure protection.....	66
1.2.4.1 Asset categorisation.....	66
1.2.4.2 All hazards – Infrastructure protection.....	67
1.2.5 Detailed design.....	68
1.2.5.1 Designer's needs and responsibilities.....	68
1.2.5.2 Requirements to be addressed.....	68
1.2.5.3 Design outputs.....	69
1.2.6 Design life.....	69
1.2.7 Instrumentation and control systems.....	69
1.3 CONSULTATION WITH OTHER PARTIES.....	70
2 SYSTEM PLANNING.....	71
2.1 GENERAL.....	71
2.2 SYSTEM PLANNING PROCESS.....	71
2.2.1 General.....	71
2.2.2 Extending / upgrading an existing water supply system.....	71
2.2.3 Providing a new water supply.....	71
2.2.4 Non-drinking water as drinking water substitution.....	72
2.3 DEMANDS.....	72
2.3.1 General.....	72
2.3.2 Dual water supply systems.....	72
2.3.2.1 General.....	72
2.3.2.2 Rainwater tanks.....	73
2.3.3 Demand assessment.....	74
2.3.3.1 General.....	74
2.3.3.2 Residential.....	74
2.3.3.3 Non-residential.....	76
2.3.4 Peak demands.....	76
2.3.4.1 General.....	76
2.3.4.2 Peak day demand.....	76
2.3.4.3 Peak hour demand.....	77
2.4 SYSTEM CONFIGURATION.....	77
2.5 SYSTEM HYDRAULICS.....	79
2.5.1 General.....	79
2.5.2 Network analysis.....	79
2.5.3 Operating pressures.....	79
2.5.3.1 Service pressure.....	79
2.5.3.2 Maximum allowable service pressure.....	79
2.5.3.3 Minimum service pressure.....	80
2.5.3.4 Average service pressure.....	80
2.5.3.4.1 GENERAL.....	80

2.5.3.4.2	LIMITING HIGH AVERAGE SERVICE PRESSURES.....	81
2.5.3.4.3	ENSURING A SUITABLE RANGE OF SERVICE PRESSURES.....	81
2.5.3.4.4	DUAL WATER SUPPLY SYSTEMS.....	81
2.5.4	Pressure variation analysis.....	81
2.5.5	Determining supply zones.....	82
2.5.5.1	General.....	82
2.5.5.2	Use of minimum allowable or desirable minimum service pressures.....	82
2.5.5.3	Use of desirable minimum static pressure.....	82
2.6	WATER QUALITY.....	83
2.6.1	General.....	83
2.6.2	Prevention of back siphonage.....	83
2.6.3	Water age.....	83
2.6.4	Disinfection.....	84
2.7	SEPARATION OF DRINKING AND NON-DRINKING WATER SUPPLY SYSTEMS.....	84
2.7.1	Permanent cross links and cross connections.....	84
2.7.2	Temporary cross links.....	84
2.8	PUMPING STATIONS.....	84
2.8.1	General.....	84
2.8.2	Design factors.....	87
2.8.2.1	System related factors.....	87
2.8.2.2	Site related factors.....	87
2.8.2.3	Service related factors.....	87
2.8.3	Concept design.....	87
2.9	SERVICE RESERVOIRS.....	88
2.9.1	Storage capacity.....	88
2.9.2	Location.....	89
2.10	TRENCHLESS TECHNIQUES FOR PIPELAYING.....	90
2.11	FUTURE SYSTEM EXPANSION.....	90
2.12	SYSTEM REVIEW.....	91
3	HYDRAULIC DESIGN.....	92
3.1	SIZING.....	92
3.1.1	General.....	92
3.1.2	Minimum pipe sizes.....	92
3.1.3	Empirical sizing of reticulation mains.....	92
3.1.4	Dual water supply systems.....	93
3.1.5	Fire flows.....	93
3.1.6	Sizing by analysis.....	94
3.1.6.1	General.....	94
3.1.6.2	Head losses.....	94
3.1.6.3	Hydraulic roughness values.....	94
3.1.6.4	Flow velocities.....	95
3.2	DESIGN PRESSURES.....	95
3.2.1	General.....	95
3.2.2	Gravity systems.....	96
3.2.3	Systems subjected to dynamic pressures.....	96
3.3	PRESSURE CLASS OF SYSTEM COMPONENTS.....	97

3.3.1 Gravity systems.....	97
3.3.2 Systems subjected to dynamic pressures.....	97
3.4 THRUST AND ANCHOR BLOCK DESIGN.....	97
3.5 SYSTEM TEST PRESSURE.....	97
3.6 DESIGN FOR DYNAMIC STRESSES.....	97
3.6.1 General.....	97
3.6.2 Surge.....	98
3.6.3 Fatigue.....	98
3.6.4 Fatigue de-rating of plastics pipes and fittings.....	98
3.7 TEMPERATURE DE-RATING OF PLASTICS PIPES AND FITTINGS.....	99
3.8 PIPELINE COMPONENT MINIMUM PRESSURE CLASS.....	100
4 PRODUCTS AND MATERIALS.....	101
4.1 GENERAL.....	101
4.2 DIFFERENTIATION OF DRINKING AND NON-DRINKING PIPE SYSTEMS.....	101
4.2.1 Principles.....	101
4.2.2 Water supply mains – drinking water.....	102
4.2.3 Water supply mains – non-drinking water.....	102
4.2.4 Property services – drinking water.....	103
4.2.5 Property services – non-drinking water.....	103
4.2.6 Marking tapes.....	104
4.3 DUCTILE IRON PIPELINE SYSTEMS.....	105
4.3.1 Product Specifications.....	105
4.3.2 Sizes and configurations.....	105
4.3.3 Seal coating of lining.....	106
4.3.4 Sleeving.....	106
4.3.5 Screw-on flanges for DI pipes.....	106
4.3.6 Flanged joints.....	107
4.3.7 Coatings.....	107
4.4 PVC PIPELINE SYSTEMS.....	108
4.4.1 Product Specifications.....	108
4.4.2 Sizes and configurations.....	109
4.5 PE PIPELINE SYSTEMS.....	109
4.5.1 Product Specifications.....	109
4.5.2 Sizes and configurations.....	110
4.6 STEEL PIPELINE SYSTEMS.....	111
4.6.1 Product Specifications.....	111
4.6.2 Sizes and configurations.....	111
4.6.3 Joints.....	111
4.6.4 Field welding.....	112
4.6.5 Flanged joints.....	112
4.7 GRP PIPELINE SYSTEMS.....	112
4.8 PROTECTION AGAINST DEGRADATION.....	113
4.8.1 Application.....	113
4.8.2 Protection against aggressive environments.....	113
4.8.3 Protection against damage to coatings.....	114
4.8.4 Stainless steels.....	114

4.8.4.1	Grade selection.....	114
4.8.4.2	Welding.....	115
4.8.4.3	Threaded components.....	115
4.8.5	Cathodic protection.....	115
4.8.6	Stray current corrosion.....	116
4.8.7	Protection against contaminated ground.....	116
4.8.8	Bolted connections.....	117
5	GENERAL DESIGN.....	119
5.1	GENERAL REQUIREMENTS.....	119
5.1.1	Design tolerances.....	119
5.1.2	Levels.....	119
5.1.3	Water main renewals—electrical safety and earthing to water services.....	119
5.1.4	Environmental considerations.....	120
5.1.4.1	General.....	120
5.1.4.2	Urban salinity.....	121
5.1.5	Survey Control	121
5.1.5.1	Marking.....	121
5.1.5.2	Horizontal control	121
5.1.5.3	Vertical control.....	121
5.2	RETICULATION DESIGN FOR WATER QUALITY.....	122
5.2.1	Layout of water mains.....	122
5.2.2	Looped mains.....	122
5.2.3	Link mains.....	122
5.2.4	Reduced size mains.....	122
5.3	WATER MAIN ACCESS.....	124
5.4	LOCATION OF WATER MAINS.....	124
5.4.1	General.....	124
5.4.2	Water mains in road reserves.....	125
5.4.2.1	General.....	125
5.4.2.2	Location in footway.....	125
5.4.2.3	Location in carriageway.....	126
5.4.2.4	Location in roundabouts and bus bays.....	126
5.4.3	Location in other than dedicated public road reserves.....	126
5.4.4	Water mains in easements.....	126
5.4.5	Dual water supply systems.....	128
5.4.6	Effect on vegetation.....	129
5.4.7	Water mains near trees.....	129
5.4.8	Contaminated sites.....	130
5.4.9	Crossings.....	130
5.4.9.1	General.....	130
5.4.9.2	Requirements for encased pipe installations.....	131
5.4.10	Railway reserves.....	132
5.4.11	Crossings of creeks or drainage reserves.....	132
5.4.12	Overhead power lines and transmission towers.....	132
5.4.13	Water mains in conjunction with landscaping and/or other development.....	132
5.4.14	Water mains on curved alignments.....	133

5.4.15	Location markers.....	134
5.4.16	Marking tape.....	134
5.4.16.1	General.....	134
5.4.16.2	Mains.....	134
5.4.16.3	Property services.....	135
5.5	TRENCHLESS TECHNOLOGY.....	135
5.6	SHARED TRENCHING.....	136
5.7	DUPLICATE MAINS.....	139
5.8	RIDER MAINS.....	139
5.9	CONNECTION OF NEW MAINS TO EXISTING MAINS.....	139
5.9.1	Product Specifications.....	139
5.9.2	General.....	139
5.9.3	Under pressure Cut-in connection.....	140
5.9.4	Inserted tee method.....	141
5.10	TERMINATION POINTS.....	141
5.10.1	Permanent ends of water mains.....	141
5.10.2	Temporary ends of water mains.....	141
5.10.3	Chlorination assemblies.....	142
5.10.4	Flushing points.....	142
5.11	PROPERTY SERVICES.....	143
5.11.1	General.....	143
5.11.2	Connections to water mains.....	143
5.11.3	Services, outlets and meters.....	144
5.12	OBSTRUCTIONS AND CLEARANCES.....	147
5.12.1	General.....	147
5.12.2	Surface obstructions.....	147
5.12.3	Clearance from transmission towers.....	147
5.12.4	Clearance from structures and property boundaries.....	148
5.12.5	Underground obstructions and services.....	148
5.12.5.1	General.....	148
5.12.5.2	Clearance requirements.....	148
5.12.6	Deviation of water mains.....	149
5.12.6.1	General.....	149
5.12.6.2	Horizontal deviation of water mains.....	150
5.12.6.3	Vertical deviation of water mains.....	151
5.12.6.4	Curving of pipes to avoid obstructions.....	154
5.13	DISUSED OR REDUNDANT PIPELINES.....	154
6	SYSTEM PRESSURE MANAGEMENT.....	156
6.1	GENERAL.....	156
6.2	IN-LINE PRESSURE BOOSTER PUMPING STATIONS.....	156
6.2.1	Planning criteria.....	156
6.2.2	Concept design.....	157
6.2.2.1	General.....	157
6.2.2.2	Life cycle considerations.....	157
6.2.2.3	Functionality.....	157
6.2.2.4	Due diligence requirements.....	157

6.2.2.5 Reliability.....	158
6.2.2.6 Maintainability.....	158
6.2.2.7 Materials design.....	158
6.2.2.8 Location.....	159
6.2.2.9 Site selection.....	159
6.2.2.10 Noise control.....	160
6.2.2.11 Services.....	160
6.2.2.12 Access.....	160
6.2.2.13 Site drainage.....	160
6.2.2.14 Landscaping.....	160
6.2.2.15 Security.....	161
6.2.2.16 Signage.....	161
6.2.2.17 Supporting systems.....	161
6.2.2.18 Health and safety.....	161
6.2.3 Commissioning plan.....	161
6.2.3.1 General.....	161
6.2.3.2 Pre-commissioning.....	162
6.2.3.3 Commissioning.....	163
6.2.4 System planning and modelling.....	164
6.2.4.1 Modelling.....	164
6.2.4.2 Minimum pressure affecting the area.....	164
6.2.4.3 Number of affected properties within the low pressure zone.....	165
6.2.5 Booster design.....	165
6.2.5.1 General.....	165
6.2.5.2 Connection to the network.....	165
6.2.5.3 Maximum flow and pressure requirements.....	166
6.2.5.4 Design for minimum pressure boost conditions.....	166
6.2.5.5 Design for minimum flow conditions.....	166
6.2.5.6 Booster configuration design.....	166
6.2.5.7 Booster set and pump selection.....	167
6.2.5.8 Booster pipework and manifold design.....	168
6.2.5.9 Booster equipment and devices.....	168
6.2.5.10 Site specific requirements.....	169
6.2.6 Booster pipework.....	169
6.2.6.1 General design parameters.....	169
6.2.6.2 Manifolds, off-takes, suction and delivery pipework.....	169
6.2.6.3 Pressure gauges and tapings.....	170
6.2.7 Pressure accumulator tank.....	170
6.2.8 Power system and supply.....	171
6.2.8.1 General.....	171
6.2.8.2 Security of supply.....	171
6.2.8.3 Primary supply.....	172
6.2.8.4 Duplicate supply.....	172
6.2.8.5 Emergency power.....	172
6.2.8.6 On-site generator.....	173
6.2.8.7 Mobile generator.....	173

6.2.8.8 Power factor correction.....	173
6.2.8.9 Lighting.....	173
6.2.9 Control and telemetry system.....	173
6.2.9.1 General.....	173
6.2.9.2 Instrumentation.....	173
6.2.9.3 System requirements.....	174
6.2.9.4 Fire flow operation.....	175
6.2.10 Alarms and controls.....	175
6.2.10.1 General.....	175
6.2.10.2 Control switches – manual and emergency operation.....	176
6.2.11 Telemetry.....	176
6.2.11.1 General.....	176
6.2.11.2 Software.....	177
6.2.11.3 Communications.....	177
6.3 PRESSURE REDUCING VALVE INSTALLATIONS.....	177
6.3.1 Planning criteria.....	177
6.3.2 Design requirements.....	178
6.4 PRESSURE SUSTAINING VALVE INSTALLATIONS.....	178
6.4.1 Planning criteria.....	178
6.4.2 Design requirements.....	179
7 STRUCTURAL DESIGN.....	180
7.1 GENERAL.....	180
7.2 STRUCTURAL CONSIDERATIONS.....	181
7.3 INTERNAL FORCES.....	181
7.4 EXTERNAL FORCES.....	181
7.4.1 General.....	181
7.4.2 Pipe cover.....	182
7.4.3 Embedment zone dimensions.....	183
7.4.4 Pipe embedment.....	183
7.4.5 Buoyancy.....	185
7.5 GEOTECHNICAL CONSIDERATIONS.....	185
7.5.1 General.....	185
7.5.2 Water mains in engineered or controlled fill.....	188
7.5.3 Water mains in non-engineered fill.....	188
7.5.4 Construction of an embankment.....	189
7.6 CONCRETE ENCASEMENT.....	189
7.6.1 General.....	189
7.6.2 Requirements.....	190
7.6.3 Encased steel pipelines.....	190
7.6.3.1 General.....	190
7.6.3.2 Existing steel pipelines.....	191
7.7 WATER MAINS IN UNSTABLE GROUND.....	192
7.7.1 General.....	192
7.7.2 Mine subsidence areas.....	192
7.7.3 Slip areas.....	192
7.8 ABOVE-GROUND WATER MAINS.....	193

7.9 PIPELINE ANCHORAGE.....	193
7.9.1 General.....	193
7.9.2 Thrust blocks.....	193
7.9.2.1 General.....	193
7.9.2.2 Concrete thrust blocks.....	194
7.9.2.3 Use of puddle flanges to transfer thrust.....	199
7.9.2.4 Timber and recycled plastics thrust blocks.....	199
7.9.3 Anchor blocks.....	203
7.9.4 Thrust and anchor blocks for dual water supply systems.....	203
7.9.5 Restrained elastomeric seal joint water mains.....	204
7.9.6 Restraint requirements for special situations.....	205
7.9.6.1 Above-ground mains with unrestrained flexible joints.....	205
7.9.6.2 Buried steel mains with welded joints.....	205
7.9.6.3 Above-ground steel mains with welded joints.....	205
7.9.6.4 Ductile iron and steel mains with flanged joints.....	205
7.9.6.5 PE mains.....	205
7.10 BULKHEADS AND TRENCHSTOPS.....	205
7.11 UNFORESEEN GROUND CONDITIONS.....	211
7.12 INSTALLATION TREATMENTS FOR WATER MAINS.....	211
8 APPURTENANCES.....	214
8.1 VALVES—GENERAL.....	214
8.1.1 Valving design.....	214
8.1.2 Valve siting principles.....	214
8.1.3 Selection considerations.....	214
8.1.4 Local in-line booster pumping stations.....	214
8.1.5 Plastics identification covers.....	215
8.2 STOP VALVES.....	216
8.2.1 Product Specifications.....	216
8.2.2 Installation design and selection criteria.....	216
8.2.2.1 General.....	216
8.2.2.2 Gate valves.....	216
8.2.2.3 Butterfly valves.....	221
8.2.3 Stop valves for transfer/distribution mains.....	222
8.2.4 Stop valves for reticulation mains.....	222
8.2.5 Stop valves for local in-line booster pumping stations.....	223
8.2.6 Bypass of stop valve.....	223
8.2.7 Stop valves—location and arrangements.....	224
8.2.7.1 General.....	224
8.2.7.2 Arrangement 1.....	225
8.2.7.3 Arrangement 2.....	225
8.2.7.4 Arrangement 3.....	226
8.2.7.5 Arrangement 4.....	226
8.2.7.6 Arrangement 5.....	226
8.2.7.7 Arrangement 6.....	226
8.2.7.8 Arrangement 7.....	227
8.2.8 Stop valve special arrangements.....	227

8.2.9 Rider mains and network configurations.....	228
8.2.10 Crossing mains – interconnection.....	228
8.3 CONTROL VALVES.....	230
8.3.1 Product Specifications.....	230
8.3.2 Automatic inlet control valves (AICV).....	230
8.3.3 Pressure reducing valves (PRV).....	231
8.3.4 Pressure relief valves (PReIV).....	233
8.3.5 Pump control valves.....	234
8.3.6 Pressure sustaining valves (PSV).....	234
8.4 AIR VALVES (AV).....	235
8.4.1 Product Specifications.....	235
8.4.2 Installation design criteria.....	235
8.4.3 Air valves type.....	235
8.4.4 Air valves size.....	235
8.4.5 Air valves location.....	236
8.4.6 Use of hydrants as an alternative to air valves.....	237
8.4.7 Water sampling via air valves.....	237
8.5 NON-RETURN VALVES.....	237
8.5.1 Product Specifications.....	237
8.5.2 Installation design criteria.....	238
8.5.3 Non-return valves for local in-line booster pumping stations and boosted zones.....	238
8.6 SCOURS AND PUMP-OUT BRANCHES.....	238
8.6.1 Location and arrangements.....	238
8.6.2 Design.....	238
8.6.3 Scour application.....	240
8.6.4 Scour size.....	241
8.6.5 Scour location.....	241
8.7 SWABBING POINTS.....	241
8.8 HYDRANTS.....	242
8.8.1 Product Specifications.....	242
8.8.2 Purposes.....	242
8.8.3 Hydrant siting principles.....	242
8.8.4 Hydrant types.....	243
8.8.5 Hydrant installation.....	243
8.8.6 Hydrant outlet connections.....	244
8.8.7 Hydrant size.....	245
8.8.8 Hydrant spacing.....	245
8.8.9 Hydrant location.....	245
8.8.10 Hydrants for reticulation system operational requirements.....	247
8.8.11 Hydrants at ends of mains.....	247
8.9 DISINFECTION FACILITIES.....	248
8.9.1 General.....	248
8.9.2 Reticulation mains.....	248
8.9.3 Transfer and distribution mains.....	248
8.9.4 Discharge.....	248
8.10 SURFACE FITTINGS.....	248

8.10.1 Product Specifications.....	248
8.10.2 General.....	249
8.10.3 Marking of surface fittings.....	249
8.10.4 Installation requirements.....	249
8.11 APPURTENANCE LOCATION MARKING.....	252
8.11.1 General.....	252
8.11.2 Marker posts and plates.....	253
8.11.3 Pavement markers.....	253
8.11.4 Kerb markings.....	253
9 DESIGN REVIEW AND DRAWINGS.....	254
9.1 DESIGN REVIEW.....	254
9.2 DESIGN DRAWINGS.....	254
9.2.1 General.....	254
9.2.2 Composition of Design Drawings.....	254
9.2.3 Scale.....	255
9.2.4 Contents of Design Drawings.....	255
9.2.5 Pipeline system acronyms.....	256
9.2.6 Water mains >DN 300.....	257
9.3 SPECIFICATIONS.....	257
9.4 RECORDING OF WORK AS CONSTRUCTED INFORMATION.....	257
PART 2: CONSTRUCTION.....	259
10 GENERAL.....	259
10.1 SCOPE.....	259
10.2 INTERPRETATION.....	259
11 GENERAL CONSTRUCTION.....	261
11.1 GENERAL.....	261
11.2 ORDER OF CONSTRUCTION, TESTING AND COMMISSIONING.....	261
11.3 CONTRACT INTERFACES.....	261
11.4 CUSTOMER FOCUS.....	262
11.4.1 General.....	262
11.4.2 Resolution of complaints.....	262
11.5 PROTECTION OF PROPERTY AND ENVIRONMENT.....	262
11.5.1 Protection of other services.....	262
11.5.2 Disused / Redundant water mains.....	263
11.5.3 Road reserves or other thoroughfares.....	264
11.5.3.1 Road opening permits.....	264
11.5.3.2 Treatment of pavements and other surfaces.....	264
11.5.3.3 Cleanliness of roads, paths, accesses and drainage paths.....	264
11.5.3.4 Storage of products, materials and equipment.....	265
11.5.3.5 Obstruction of street drainage.....	265
11.5.4 Private and public properties.....	265
11.5.5 Protection of the environment and heritage areas.....	265
11.5.5.1 General.....	265
11.5.5.2 Collection and disposal of wastes.....	265
11.5.5.3 Protection of adjacent lands and vegetation.....	266
11.5.5.4 Control of water pollution.....	266

11.5.5.5 Contaminated soils.....	268
11.5.5.6 Fire ant areas.....	268
11.5.5.7 Control of noise and atmospheric pollution.....	269
11.5.5.8 Equipment and machinery use in bush fire prone areas.....	269
11.6 OPERATION OF WATER SUPPLY NETWORK.....	269
11.7 ALTERATION OF EXISTING SERVICES.....	269
11.8 CONNECTION TO AND WORK ON EXISTING ASBESTOS WATER MAINS.....	269
11.9 CUT-IN CONNECTION EQUIPMENT.....	269
11.10 SURVEY MARKS.....	270
11.11 CONSTRUCTION TOLERANCES.....	270
11.12 LATENT CONDITIONS.....	270
12 PRODUCTS AND MATERIALS.....	271
12.1 AUTHORISED PRODUCTS AND MATERIALS.....	271
12.1.1 General.....	271
12.2 DELIVERY INSPECTION OF PRODUCTS AND MATERIALS.....	271
12.3 TRANSPORTATION, HANDLING AND STORAGE OF PRODUCTS AND MATERIALS.....	271
12.3.1 General.....	271
12.3.2 Transportation.....	272
12.3.3 Unloading and handling.....	272
12.3.4 On-site storage.....	272
12.4 REJECTED PRODUCTS AND MATERIALS.....	273
12.5 CONCRETE WORKS.....	273
12.6 SUPPLY OF WATER TO THE WORKS.....	273
12.7 SUPPLY OF WATER TO EXISTING PROPERTIES.....	274
12.8 UNDER PRESSURE CUT-IN CONNECTION TO PRESSURE PIPES \geq DN 80.....	274
12.8.1 Flanged off-takes.....	274
12.8.2 Valves.....	274
12.8.3 Flange holes.....	274
12.8.4 Gaskets.....	274
12.8.5 Bolting system.....	274
12.8.5.1 General.....	274
12.8.5.2 Carbon or alloy steel bolt assemblies.....	275
12.8.5.3 Stainless steel bolt assemblies.....	275
12.8.6 Insulation sleeves.....	275
12.8.7 Plastics inserts for metallic pipes.....	275
13 EXCAVATION.....	276
13.1 PRECAUTIONS.....	276
13.2 LIMITS OF CLEARING AND EXCAVATION.....	276
13.3 PROTECTION OF TREES.....	276
13.3.1 General precautions.....	276
13.3.2 Protection of roots.....	276
13.4 BLASTING.....	276
13.5 SUPPORT OF EXCAVATIONS.....	277
13.6 DRAINAGE AND DEWATERING.....	277
13.7 UNDER PRESSURE CUT-IN CONNECTION TO PRESSURE PIPES \geq DN 80.....	277
13.7.1 Excavation requirements.....	277

13.7.2	Extent of excavation.....	278
13.8	EXCAVATION ACROSS IMPROVED SURFACES.....	279
13.9	TRENCH EXCAVATION.....	279
13.9.1	General.....	279
13.9.2	Construction of embankment.....	279
13.9.3	Clearances for on-site works.....	279
13.10	REFILL OF EXCESSIVE EXCAVATION.....	280
13.11	FOUNDATIONS AND FOUNDATION STABILISATION.....	280
13.12	SURPLUS EXCAVATED MATERIAL.....	280
13.13	TUNNELLING.....	280
14	BEDDING FOR PIPES.....	282
14.1	TRENCH FLOOR PREPARATION.....	282
14.2	BEDDING AND PIPE SUPPORT.....	282
14.3	SPECIAL PIPE SUPPORT FOR NON-SUPPORTIVE SOILS.....	282
15	PIPE LAYING, JOINTING AND CONNECTING.....	283
15.1	INSTALLATION OF PIPES.....	283
15.1.1	General.....	283
15.1.2	Dual water supply areas.....	283
15.1.3	Cleaning, inspection and joint preparation.....	283
15.1.4	Laying.....	284
15.1.5	Lift and re-lay construction.....	284
15.2	HORIZONTAL AND VERTICAL DEFLECTIONS OF PIPES.....	285
15.2.1	General.....	285
15.2.2	Deflection at a pipe joint.....	285
15.2.3	Curving of pipe.....	285
15.3	HORIZONTAL AND VERTICAL SEPARATION OF CROSSING PIPELINES.....	285
15.4	VALVES, HYDRANTS AND OTHER APPURTENANCES.....	285
15.5	UNDER PRESSURE CUT-IN CONNECTION TO PRESSURE PIPES \geq DN 80.....	285
15.5.1	Inspection of host pipe.....	285
15.5.2	Inspection of valve to be installed.....	286
15.5.3	Disinfection of fittings and equipment.....	286
15.5.4	Installation of off-take clamp.....	286
15.5.5	Installation of the valve.....	287
15.5.6	Cut-in operation.....	287
15.5.7	Recording and reporting.....	287
15.6	FLOTATION CONTROL.....	288
15.7	THRUST AND ANCHOR BLOCKS AND RESTRAINED JOINTS.....	288
15.8	TAPPING OF MAINS, PROPERTY SERVICES AND WATER METERS.....	289
15.9	TRENCH STOPS.....	290
15.10	BULKHEADS.....	290
15.11	CORROSION PROTECTION OF DUCTILE IRON.....	290
15.12	MARKING TAPES.....	290
15.12.1	Non-detectable marking tape.....	290
15.12.2	Detectable marking tape.....	290
15.12.3	Tracer wire.....	290
15.13	VALVES, HYDRANTS AND SURFACE BOXES AND FITTINGS.....	290

15.13.1	Installation.....	290
15.13.2	Valve chambers for large diameter mains.....	291
15.14	SCOURS.....	291
15.15	BORED PIPES UNDER ROADS, DRIVEWAYS AND ELSEWHERE.....	291
15.16	AQUEDUCTS.....	291
15.17	BRIDGE CROSSINGS.....	291
15.18	APPURTENANCE LOCATION MARKING.....	292
15.19	FLANGED JOINTS.....	292
15.20	WELDING OF STEEL PIPELINES.....	292
15.20.1	General.....	292
15.20.2	Field welding of flanges.....	292
15.20.3	Reinstatement of cement mortar lining.....	293
15.20.4	Reinstatement of external corrosion protection at joints using a tape system.....	293
15.20.4.1	General.....	293
15.20.4.2	Surface preparation.....	293
15.20.4.3	Priming surfaces.....	293
15.20.4.4	Mastic filler.....	293
15.20.4.5	Tape application.....	294
15.20.5	Reinstatement of external corrosion protection at joints using a heat-shrinkable sleeve system.....	295
15.20.5.1	Surface preparation.....	295
15.20.5.2	Preheat pipe.....	296
15.20.5.3	Priming surfaces.....	296
15.20.5.4	Mastic filler.....	296
15.20.5.5	Heat-shrinkable sleeve preparation.....	296
15.20.5.6	Heat-shrinkable sleeve application.....	296
15.21	WELDING OF PE PIPELINES.....	296
16	PIPE EMBEDMENT AND SUPPORT.....	298
16.1	GENERAL.....	298
16.2	EMBEDMENT MATERIALS.....	298
16.2.1	General.....	298
16.2.2	Recycled, reused and waste materials.....	298
16.3	COMPACTION OF EMBEDMENT.....	298
16.3.1	Methods.....	298
16.3.2	Compaction trials / Pre-qualification of embedment compaction method.....	299
16.3.2.1	Test method.....	299
16.3.2.2	Interpretation and applicability.....	299
16.3.3	Compaction control.....	299
16.4	SPECIAL BEDDING AND EMBEDMENTS / GEOTEXTILE SURROUND AND PILLOW.....	300
16.5	REMOVAL OF TRENCH SUPPORTS.....	300
16.6	CONCRETE EMBEDMENT AND ENCASEMENT.....	300
17	FILL.....	301
17.1	TRENCH FILL.....	301
17.1.1	Material requirements.....	301
17.1.1.1	Trafficable Areas.....	301
17.1.1.2	Non-Trafficable Areas.....	301

17.1.2 Placement.....	302
17.1.3 Compaction of trench fill.....	302
17.2 EMBANKMENT FILL.....	302
17.3 DRIVES AND TUNNEL FILL.....	303
18 SWABBING.....	304
18.1 GENERAL.....	304
18.2 SWABS.....	304
18.3 SWABBING PROCEDURE.....	304
19 ACCEPTANCE TESTING.....	306
19.1 GENERAL.....	306
19.2 VISUAL INSPECTION.....	306
19.3 COMPACTION TESTING.....	306
19.3.1 General.....	306
19.3.2 Compaction testing requirements.....	307
19.3.2.1 General.....	307
19.3.3 Embedment compaction testing.....	308
19.3.3.1 Applicable pipe sizes.....	308
19.3.3.2 Frequency and location of embedment tests.....	308
19.3.3.3 Retesting.....	308
19.3.4 Trench fill compaction testing.....	308
19.3.4.1 Trafficable test zone.....	308
19.3.4.2 Non-trafficable test zone.....	308
19.3.4.3 Property services.....	308
19.3.4.4 Frequency and location of tests.....	309
19.3.4.5 Retesting.....	309
19.3.5 Other fill compaction testing.....	309
19.3.5.1 General.....	309
19.3.5.2 Trafficable areas test zone.....	309
19.3.5.3 Non-trafficable areas test zone.....	309
19.3.5.4 Frequency and location of tests.....	309
19.3.5.5 Retesting.....	309
19.4 HYDROSTATIC PRESSURE TESTING.....	310
19.4.1 General.....	310
19.4.2 Mains.....	310
19.4.3 Property services.....	310
19.4.4 Under pressure cut-in connections.....	311
19.5 BLOCK TESTING DUAL WATER SUPPLY SYSTEMS FOR CONNECTIVITY.....	311
19.6 INSULATED JOINT RESISTANCE TEST.....	312
19.7 WATER QUALITY TESTING.....	312
19.7.1 General.....	312
19.7.2 Test Procedure.....	312
19.7.3 Satisfactory water quality test.....	312
19.7.4 Failure of test.....	313
20 DISINFECTION.....	314
20.1 APPLICATION.....	314
20.2 FLUSHING OF DISINFECTION WATER.....	314

21 TOLERANCES ON AS-CONSTRUCTED WORK.....	316
21.1 GENERAL.....	316
21.2 HORIZONTAL TOLERANCES.....	316
21.2.1 Water mains and in-line structures.....	316
21.2.2 Property services and meters.....	316
21.3 VERTICAL TOLERANCES.....	316
21.3.1 Water mains, property connections and structures.....	316
21.3.2 Verticality ("plumb").....	316
21.4 TOLERANCES ON FINISHED SURFACE STRUCTURES AND FITTINGS.....	316
21.5 CAST IN-SITU CONCRETE STRUCTURES AND SLABS.....	317
22 CONNECTIONS TO EXISTING WATER MAINS.....	318
22.1 GENERAL.....	318
22.2 UNDER PRESSURE CONNECTIONS.....	318
22.3 INSERTED TEE CONNECTIONS.....	319
22.3.1 Shutdown of existing water mains.....	319
22.3.2 Making the connection to existing water main.....	319
22.3.3 Re-charging the shutdown water main.....	320
22.4 CONNECTION AND/OR CHARGING THE NEW WATER MAINS.....	320
22.5 RECONNECTION OF PROPERTIES SUPPLIED BY TEMPORARY PRIVATE SERVICES.....	320
23 RESTORATION.....	321
23.1 GENERAL.....	321
23.2 PAVEMENTS.....	321
23.3 LAWNS.....	321
23.4 GRASSED AREAS.....	322
23.5 BUSHLAND.....	322
23.6 PROVISION FOR AND RECTIFICATION OF SETTLEMENT.....	322
23.7 MAINTENANCE OF RESTORED SURFACES.....	322
24 WORK AS CONSTRUCTED DETAILS.....	323
APPENDICES.....	324
APPENDIX A — GENERIC INFRASTRUCTURE PROTECTION GUIDANCE.....	324
A1 INFRASTRUCTURE PROTECTION TREATMENTS - SELECTION AND DEFINITION.....	324
A2 RISK MANAGEMENT - INFRASTRUCTURE PROTECTION RISK ASSESSMENTS.....	324
A3 INFRASTRUCTURE PROTECTION DESIGN CONSIDERATIONS.....	324
A4 INFRASTRUCTURE PROTECTION TREATMENTS.....	325
A5 SECURITY DESIGN CONCEPTS.....	325
A6 ENVIRONMENTAL DESIGN CONSIDERATIONS.....	325
A7 WATER MAIN FAILURE IMPACT ASSESSMENT.....	326
A8 WATER AGENCY'S ENVIRONMENTAL AESTHETICS GUIDANCE.....	327
APPENDIX B — EQUIVALENT PIPE SIZES FOR COMMONLY USED MATERIALS.....	335
APPENDIX C — UNDER PRESSURE CUT-IN CONNECTION TO PRESSURE PIPES \geq DN 80.....	339
C1 GENERAL.....	339
C1.1 SCOPE.....	339
C1.2 PURPOSE.....	339
C1.3 APPLICATIONS FOR UPCIC.....	339
C1.3.1 Pipe materials.....	339
C1.3.2 Off-take clamps.....	340

C1.3.3 Connections.....	340
C1.4 INTERPRETATIONS.....	340
C2 PLANNING.....	341
C2.1 WATER AGENCY LIMITATIONS.....	341
C2.2 GENERAL LIMITATIONS.....	341
C2.3 DESKTOP REVIEW.....	341
C3 DESIGN.....	342
C3.1 HYDRAULIC.....	342
C3.1.1 Size of drilled hole.....	342
C3.1.2 Calculation of headloss.....	342
C3.2 STRUCTURAL.....	343
C3.3 SPACING OF CUT-IN CONNECTION HOLES AND LOCATION OF OFF-TAKES.....	343
C3.3.1 Spacing distances.....	343
C3.3.2 Off-take clamp locations.....	343
C3.4 HOLE/OFF-TAKE BRANCH SIZE LIMITATION.....	343
C3.5 THRUST BLOCKS.....	344
C3.6 COVER OVER THE INSTALLED GATE VALVE.....	344
ANNEXURE 1 — PERMITTED CUTTER SIZES AND CLAMP LENGTHS.....	344
APPENDIX D — BOOSTER CONFIGURATION.....	352
APPENDIX E — SELECTION OF PRESSURE ACCUMULATOR TANKS.....	381
E1 SCOPE.....	381
E2 REFERENCED DOCUMENTS.....	381
E3 TANK TYPE.....	381
E4 TANK STANDARDS.....	381
E5 DESIGN LIMITATIONS.....	381
E6 PRODUCT AVAILABILITY.....	382
E7 TANK REQUIREMENTS.....	382
E8 MAINTENANCE.....	383
APPENDIX F — GUIDELINES FOR WATER MAINS IN SLIP AND POTENTIALLY UNSTABLE AREAS.....	384
F1 INTRODUCTION.....	384
F2 SLIP AND UNSTABLE AREAS.....	384
F2.1 GENERAL.....	384
F2.2 GREATER SYDNEY REGION.....	384
F3 FACTORS INFLUENCING STABILITY OF SLOPES.....	385
F3.1 SOIL AND ROCK CONDITION.....	385
F3.2 ANGLE OF SLOPE.....	385
F3.3 GROUNDWATER AND SURFACE WATER.....	385
F3.4 RESIDENTIAL DEVELOPMENT.....	385
F3.5 VEGETATION.....	385
F3.6 ROAD CONSTRUCTION.....	385
F4 IDENTIFICATION OF POTENTIALLY UNSTABLE AREAS.....	386
F4.1 GENERAL.....	386
F4.2 GREATER SYDNEY REGION.....	386
F5 PRECAUTIONS.....	386
F5.1 GENERAL.....	386

F5.2 AVOIDANCE.....	387
F5.3 SHALLOW TRENCH OR ABOVE-GROUND CONSTRUCTION.....	387
F5.4 ALTERNATIVE CONSTRUCTION TECHNIQUES.....	387
F5.5 DESIGN FOR POSSIBLE GROUND MOVEMENT.....	387
F5.6 CONSIDER GROUNDWATER AND DRAINAGE.....	390
F5.7 PRECAUTIONS DURING CONSTRUCTION.....	391
APPENDIX G — SOIL CLASSIFICATION GUIDELINES AND ALLOWABLE BEARING PRESSURES FOR ANCHORS AND THRUST BLOCKS.....	393
G1 GENERAL.....	393
G2 IDENTIFICATION GUIDANCE.....	393
G2.1 Identifying clay soils.....	393
G3 FIELD TEST METHODS.....	393
G3.1 Preparing the test area.....	393
G3.2 Testing clay soils.....	393
G3.3 Testing clean sand soils.....	393
G3.4 Testing rock.....	393
APPENDIX H — HYDRANT SPACINGS.....	396
H1 SCOPE.....	396
APPENDIX I — DISINFECTION OF WATER MAINS AND WATER QUALITY COMPLIANCE SPECIFICATION.....	398
I1 SCOPE.....	398
I2 PURPOSE.....	398
I3 SUMMARY OF REQUIREMENTS.....	398
I4 PREVENTIVE MEASURES.....	399
I4.1 General.....	399
I4.2 Keeping items clean and dry.....	399
I4.2.1 Storage.....	399
I4.2.2 Temporary capping during construction.....	399
I4.3 Cleaning methods.....	399
I5 DISINFECTION AND NEUTRALISATION OF DISINFECTANT.....	400
I5.1 General.....	400
I5.2 Safety.....	402
I6 SAMPLING.....	402
I6.1 General.....	402
I6.2 Sample set A – Existing main.....	402
I6.3 Sample set B – New main.....	402
I7 TESTS.....	403
I8 ACCEPTANCE OF TEST RESULTS.....	403
I8.1 All results – Sample set A (existing) and set B (new mains).....	403
I8.2 Non-compliant results for sample set A – existing main.....	403
I8.3 Non-compliant results for sample set B – New main.....	403
I9 NOTIFICATION.....	403
ANNEXURE 1 — DRINKING WATER / NON DRINKING WATER.....	404
Drinking Water.....	404
Non-Drinking Water.....	405
ANNEXURE 2 — RECOGNISED TESTING LABORATORY AND ANALYSIS.....	406

ANNEXURE 3 — FLOWCHART - WATER QUALITY COMPLIANCE FOR NEW MAINS.....	408
APPENDIX J — SAFETY ASSURANCE PLAN AND JOB SAFETY ANALYSIS.....	409
J1 SAFETY ASSURANCE PLAN.....	409
J2 JOB SAFETY ANALYSIS (JSA).....	409
APPENDIX K — CONNECTIVITY INSPECTION OF DUAL WATER SUPPLY SYSTEMS.....	411
K1 PRINCIPLE.....	411
K2 PROCEDURE.....	411
Abbreviations.....	413
Definitions.....	414

List of Figures

Figure 1.1 TYPICAL WATER SUPPLY SYSTEM.....	64
Figure 2.1 SINGLE TRANSFER / DISTRIBUTION MAIN, MINOR NETWORK AND DEAD-END BRANCH MAINS (not preferred due to low turn-over in dead-end mains).....	78
Figure 2.2 SINGLE TRANSFER / DISTRIBUTION MAIN, NETWORK WITH MULTIPLE DISTRIBUTION MAINS AND BRANCH MAINS WITH REDUCED DIAMETER DEAD-ENDS.....	78
Figure 2.3 TWIN TRANSFER/ DISTRIBUTION MAINS, NETWORK WITH MULTIPLE DISTRIBUTION MAINS, LOOPED MAINS AND LINK MAINS TO MINIMISE DEAD-ENDS, SOME REDUCED DIAMETER DEAD-END MAINS AND STAGING OF PROVISION OF MAINS.....	78
Figure 2.4 TYPICAL WATER SUPPLY PUMPING STATION ARRANGEMENTS.....	86
Figure 4.1 FLANGE FASTENER TIGHTENING SEQUENCE.....	107
Figure 4.2 TYPICAL INSULATED FLANGED JOINT FOR CATHODICALLY PROTECTED STEEL MAINS.....	112
Figure 4.3 TYPICAL BOLTED CONNECTION DETAIL FOR FUSION BONDED COATED DUCTILE IRON FLANGES WITH STAINLESS STEEL FASTENERS.....	118
Figure 4.4 TYPICAL BOLTED CONNECTION DETAIL AND CORROSION PROTECTION PROCEDURE FOR BURIED DUCTILE IRON FLANGES WITH GALVANISED STEEL FASTENERS.....	118
Figure 4.5 TYPICAL BOLTED CONNECTION DETAIL FOR PE STUB FLANGE AND RAISED DUCTILE IRON FLANGE WITH STAINLESS STEEL FASTENERS AND BACKING PLATE.....	118
Figure 5.1 LOOPED AND LINK MAINS.....	122
Figure 5.2 DESIGN REQUIREMENTS FOR REDUCED SIZED MAINS IN COURT BOWLS, CUL-DE-SACS AND DEAD-ENDS.....	124
Figure 5.3 TYPICAL DUAL WATER INSTALLATION IN COMMON TRENCH.....	129
Figure 5.4 TYPICAL SHARED / COMBINED TRENCH INSTALLATION.....	137
Figure 5.5 TYPICAL SHARED / COMBINED TRENCH INSTALLATION OFF-TAKE.....	138
Figure 5.6 TYPICAL UNDER PRESSURE CUT-IN CONNECTION METHOD USING A SPLIT SS CLAMP WITH FLANGED OFF-TAKE – PLAN VIEW.....	140
Figure 5.7 TYPICAL INSERTION TEE METHOD USING MECHANICAL COUPLINGS – PLAN VIEW.....	141
Figure 5.8 TYPICAL FLUSHING ASSEMBLY DETAILS FOR ENDS OF REDUCED SIZED MAINS.....	142
Figure 5.9 TYPICAL SPLIT SERVICE MAIN TO METER ACROSS ROAD CARRIAGEWAY.....	145
Figure 5.10 TYPICAL PROPERTY SERVICE LAYOUTS IN DUAL WATER SUPPLY NETWORKS.....	146
Figure 5.11 TYPICAL DUCT AND SERVICE MARKER DETAILS.....	147
Figure 5.12 HORIZONTAL DEVIATION BY DEFLECTION AT PIPE JOINTS – PLAN VIEW.....	150
Figure 5.13 HORIZONTAL DEFLECTION USING A DI SOC-SOC CONNECTOR AND PERMITTED JOINT DEFLECTIONS FOR DI PIPES AND OTHER APPLICABLE PIPE TYPES – PLAN VIEW.....	151

Figure 5.14 DEFLECTION USING DI BENDS WITH DI AND OTHER PERMITTED PIPE TYPES - PLAN VIEW.....	151
Figure 5.15 VERTICAL DEVIATION BY DEFLECTION AT PIPE JOINTS – SECTION VIEW.....	152
Figure 5.16 VERTICAL DEVIATION USING DI BENDS – SECTION VIEW.....	152
Figure 5.17 TYPICAL ANCHOR BLOCK DETAIL FOR VERTICAL BENDS.....	153
Figure 5.18 VERTICAL DEFLECTIONS USING FABRICATED PIPE AND FLANGES – SECTION VIEW.....	153
Figure 5.19 VERTICAL DEFLECTIONS USING DOUBLE OFFSET FABRICATED PIPE AND FLANGES – SECTION VIEW.....	154
Figure 6.1 TYPICAL PRE-COMMISSIONING AND COMMISSIONING PROCESS.....	163
Figure 6.2 TYPICAL HANDOVER TO WATER AGENCY.....	164
Figure 7.1 TYPICAL ARRANGEMENT OF BURIED PIPE.....	182
Figure 7.2 TYPE A EMBEDMENT SUPPORT.....	184
Figure 7.3 TYPE B EMBEDMENT SUPPORT.....	184
Figure 7.4 TYPE C AND D EMBEDMENT SUPPORT.....	186
Figure 7.5 TYPE E EMBEDMENT SUPPORT.....	186
Figure 7.6 TYPE F EMBEDMENT SUPPORT.....	187
Figure 7.7 TYPE G EMBEDMENT SUPPORT.....	187
Figure 7.8 TYPE H EMBEDMENT SUPPORT.....	188
Figure 7.9 TYPE J AND K CONCRETE ENCASEMENT EMBEDMENT SUPPORT.....	190
Figure 7.10 ALTERNATIVE END TREATMENT FOR CONCRETE ENCASED STEEL PIPELINES.....	191
Figure 7.11 THRUST BLOCK FOR TEES (FOR HORIZONTAL THRUST).....	196
Figure 7.12 THRUST BLOCK FOR BENDS (FOR HORIZONTAL THRUST).....	197
Figure 7.13 TAPER THRUST BLOCK (FOR HORIZONTAL THRUST).....	197
Figure 7.14 FLUSHING/WASHOUT BEND THRUST BLOCK (FOR HORIZONTAL THRUST) (MINIMUM REQUIRED THRUST AREA AS PER DEAD-END).....	198
Figure 7.15 TYPICAL CONCRETE THRUST BLOCK FOR FLANGED VALVES.....	198
Figure 7.16 TYPICAL CONCRETE THRUST BLOCK FOR SOCKETED VALVES.....	199
Figure 7.17 TYPICAL TIMBER AND RECYCLED PLASTICS THRUST BLOCK CONFIGURATIONS.....	202
Figure 7.18 TYPICAL VALVE RESTRAINT MECHANISM.....	202
Figure 7.19 TYPICAL CONCRETE THRUST BLOCKS FOR ADJACENT DUAL WATER MAINS.....	204
Figure 7.20 TYPICAL CONCRETE BULKHEAD DETAIL.....	207
Figure 7.21 TYPICAL ROAD CROSSING BULKHEAD.....	208
Figure 7.22 TYPICAL TRENCH STOP DETAIL.....	209
Figure 7.23 TYPICAL TRENCH DRAINAGE DETAIL AT BULKHEAD.....	210
Figure 7.24 TYPICAL TRENCH DRAINAGE DETAIL AT LOW POINT IN TRENCH.....	210
Figure 7.25 TYPICAL TRENCH DRAINAGE DETAIL AT CONCRETE ENCASED SECTIONS.....	211
Figure 7.26 TYPICAL TRENCH DRAINAGE DISCHARGE.....	211
Figure 8.1 PLASTICS IDENTIFICATION COVER.....	215
Figure 8.2 TYPICAL GATE VALVE AND HYDRANT INSTALLATION AT STANDARD DEPTH.....	217
Figure 8.3 TYPICAL GATE VALVE INSTALLATION AT DEEPER THAN STANDARD DEPTH.....	218
Figure 8.4 TYPICAL VALVE CHAMBER ARRANGEMENT FOR DN 500 AND DN 600 MAINS – PLAN VIEW.....	219
Figure 8.5 TYPICAL VALVE CHAMBER ARRANGEMENT FOR A DN 750 MAIN – PLAN VIEW.....	220
Figure 8.6 TYPICAL VALVE CHAMBER ARRANGEMENT – CROSS SECTION.....	221
Figure 8.7 BYPASS ARRANGEMENT WITH L-TYPE BALL HYDRANT.....	224

Figure 8.8 BRANCH VALVE ADJACENT TO MAIN.....	225
Figure 8.9 BRANCH VALVE ADJACENT TO INNER SPLAY CORNER.....	225
Figure 8.10 VALVE AND HYDRANT COMBINATIONS.....	226
Figure 8.11 VALVE ADJACENT TO A TAPER.....	226
Figure 8.12 VALVES IN MAIN CROSS-LINKS.....	226
Figure 8.13 VALVES IN CONJUNCTION WITH CONTROL VALVES.....	227
Figure 8.14 TWO DIRECTION SUPPLY.....	227
Figure 8.15 OFF-TAKE ARRANGEMENT FOR RIDER MAINS.....	228
Figure 8.16 INTERCONNECTION OF DN 200 AND DN 225 CROSSING MAINS.....	229
Figure 8.17 INTERCONNECTION OF RETICULATION AND DISTRIBUTION MAINS.....	229
Figure 8.18 INTERCONNECTION OF DISTRIBUTION MAINS.....	230
Figure 8.19 INTERCONNECTION OF A CONTINUING RETICULATION MAIN AND LARGER MAIN.....	230
Figure 8.20 TYPICAL PRESSURE REDUCING VALVE INSTALLATION - SECTIONAL ELEVATION.....	232
Figure 8.21 ALTERNATIVE ABOVE-GROUND INSTALLATION – PRV ON BYPASS – SIDE ELEVATION.....	232
Figure 8.22 PRV ON MAIN LINE WITH BYPASS - PLAN VIEW.....	233
Figure 8.23 TYPICAL AIR VALVE ORIENTATION.....	236
Figure 8.24 TYPICAL AIR VALVE INSTALLATION.....	237
Figure 8.25 SCOUR DETAIL.....	239
Figure 8.26 SCOUR DISCHARGE TO APPROVED DRAINAGE SYSTEM.....	239
Figure 8.27 SCOUR DISCHARGE COLLECTION/PUMP-OUT SUMP.....	240
Figure 8.28 SCOUR DISCHARGE TO STORAGE LAGOON.....	240
Figure 8.29 SPRING HYDRANT-TYPICAL DIRECT CONNECTION.....	244
Figure 8.30 ISOLATING VALVE ASSEMBLY WITH SPRING HYDRANT.....	244
Figure 8.31 TYPICAL HYDRANT INSTALLATION IN NON-TRAFFICABLE LOCATION.....	245
Figure 8.32 TYPICAL HYDRANT INSTALLATION IN TRAFFICABLE ASPHALTIC CONCRETE PAVEMENT.....	246
Figure 8.33 TYPICAL HYDRANT WITH ISOLATING VALVE INSTALLATION WITH SPRING HYDRANT OPTION IN NON-TRAFFICABLE LOCATIONS.....	246
Figure 8.34 TYPICAL OFFSETTING OF HYDRANTS IN FOOTWAY.....	247
Figure 8.35 NON-TRAFFICABLE STOP VALVE SURFACE BOX.....	250
Figure 8.36 TYPICAL TRAFFICABLE STOP VALVE SURFACE BOXES.....	251
Figure 8.37 TYPICAL TRAFFICABLE HYDRANT SURFACE BOXES.....	252
Figure 8.38 RETRO-REFLECTIVE PAVEMENT MARKERS.....	253
Figure 8.39 KERB MARKINGS.....	253
Figure 13.1 TYPICAL EXCAVATION DIMENSIONS.....	278
Figure 15.1 BALL AND SOCKET JOINT.....	294
Figure 15.2 SLIP-IN WELDED JOINT.....	294
Figure 15.3 PLAIN END WELDED COLLAR JOINT.....	295
Figure 15.4 PLAIN END BUTT WELDED JOINT.....	295
Figure 15.5 CML/FBPE WELDED JOINT (CLPEWJ).....	295
Figure D.1 METROPOLITAN WATER SUPPLY WAPC 133171.....	354
Figure D.2 GERALDTON REGIONAL WATER SUPPLY.....	355
Figure D.3 GREAT SOUTHERN TOWNS WATER SUPPLY MAIN CONDUIT.....	356
Figure D.4 METROPOLITAN WATER SUPPLY WAPC 123872.....	357

Figure D.5 GINGIN WATER SUPPLY WAPC 118531.....	358
Figure D.6 METROPOLITAN WATER SUPPLY WAPC 124200.....	359
Figure D.7 GOLDFIELDS & AGRICULTURAL WATER SUPPLY.....	360
Figure D.8 KALBARRI WATER SUPPLY WAPC 126341.....	361
Figure D.9 WP 0339.....	362
Figure D.10 WP 0341.....	363
Figure D.11 NABAWA WATER SUPPLY SCHEME.....	364
Figure D.12 LAVERTON WATER SUPPLY.....	365
Figure D.13 GREAT SOUTHERN TOWNS WATER SUPPLY MAIN CONDUIT.....	366
Figure D.14 MANDURAH WATER SUPPLY.....	367
Figure D.15 WATER AUTHORITY OF W.A.....	368
Figure D.16 LANCELIN TOWN WATER SUPPLY.....	369
Figure D.17 METROPOLITAN WATER SUPPLY - MINDARIE HIGH LEVEL BOOSTER PUMPING STATION.....	370
Figure D.18 KUNUNNURRA WATER SUPPLY.....	371
Figure D.19 DENMARK WATER SUPPLY.....	372
Figure D.20 METROPOLITAN WATER SUPPLY - YANGEBUP BOOSTER PUMPING STATION.....	373
Figure D.21 METROPOLITAN WATER SUPPLY - BANKSIA GROVE BOOSTER PUMP STATION.....	374
Figure D.22 METROPOLITAN WATER SUPPLY - BANKSIA GROVE BOOSTER PUMP STATION.....	375
Figure D.23 HORIZONTAL BOOSTER PUMP STATION SECTIONS.....	376
Figure D.24 PEMBERTON WATER SUPPLY.....	377
Figure D.25 PEMBERTON WATER SUPPLY - WATER TREATMENT PLANT SITE.....	378
Figure D.26 AUSTRALIA WATER SUPPLY.....	379
Figure D.27 HORIZONTAL BOOSTER PUMP STATION.....	380
Figure F.1 POTENTIALLY UNSTABLE/LANDSLIP AREAS MONITORING PITS FOR DN 100 AND DN 150 RETICULATION MAINS IN ROAD RESERVES.....	388
Figure F.2 TYPICAL TRANSITION PIT DETAIL.....	388
Figure F.3 TYPICAL RESTRAINED JOINT MAINS AND INTERMEDIATE AND TRANSITION PIT ARRANGEMENT.....	389
Figure F.4 EFFECTS OF CONSTRUCTION TRENCHES ON GROUNDWATER MOVEMENT.....	390
Figure F.5 EFFECT OF CONSTRUCTION TRENCHES ON GROUNDWATER FLOW PATHS.....	391

List of Tables

Table 1.1 ASSET CATEGORIES.....	66
Table 1.2 TYPICAL ASSET DESIGN LIVES.....	69
Table 2.1 GUIDE TO DEMAND ALLOCATION WITHIN DUAL WATER SYSTEMS.....	73
Table 2.2 TYPICAL PEAK HOUR DEMAND WORK SHEET FOR DUAL WATER SUPPLY SYSTEMS.....	74
Table 2.3 SERVICE PRESSURE LIMITS FOR DRINKING WATER SINGLE SUPPLY.....	80
Table 3.1 MINIMUM PIPE SIZES FOR PARTICULAR DEVELOPMENTS.....	92
Table 3.2 EMPIRICAL GUIDE FOR PIPE SIZING.....	93
Table 3.3 METHODS FOR DESIGN OF PLASTICS PIPES AND FITTINGS FOR DYNAMIC STRESSES.....	98
Table 3.4 TEMPERATURE DE-RATING FACTORS FOR PLASTICS PIPES OPERATING AT ELEVATED TEMPERATURES.....	99
Table 4.1 COLOUR DIFFERENTIATION OF DRINKING WATER AND ON-DRINKING WATER COMPONENTS IN DUAL WATER RETICULATION SYSTEMS.....	103

Table 5.1 DESIGN REQUIREMENTS FOR REDUCED SIZED DRINKING WATER MAINS IN COURT BOWLS, CUL-DE-SACS AND DEAD-ENDS.....	123
Table 5.2 DEFAULT EASEMENT GUIDELINES.....	127
Table 5.3 TRENCH DETAILS FOR TWO PARALLEL MAINS/SERVICES.....	138
Table 5.4 RESIDENTIAL PROPERTY SERVICE PIPE/CONNECTION SIZES.....	143
Table 5.5 CLEARANCES BETWEEN WATER MAINS AND UNDERGROUND SERVICES.....	148
Table 6.1 FLOW VELOCITIES.....	168
Table 7.1 PE 100 & PVC PIPE MATERIAL CHARACTERISTICS.....	180
Table 7.2 MINIMUM DEPTHS OF PIPE COVER.....	182
Table 7.3 MINIMUM THRUST AREA FOR CONCRETE BLOCKS AT 1000 kPa SYSTEM TEST PRESSURE.....	194
Table 7.4 ALLOWABLE APPLICATIONS FOR TIMBER AND RECYCLED PLASTICS THRUST BLOCKS.....	200
Table 7.5 REQUIREMENTS FOR BULKHEADS AND TRENCHSTOPS.....	206
Table 7.6 MINIMUM INSTALLATION TREATMENTS FOR WATER MAINS.....	212
Table 8.1 COLOUR CODING OF SPINDLE CAP PLASTICS COVERS.....	215
Table 8.2 STOP VALVE SPACING CRITERIA.....	223
Table 8.3 MAXIMUM WATER MAIN DRAINAGE TIMES.....	239
Table 8.4 MINIMUM SCOUR SIZE.....	241
Table 18.1 DIMENSIONS OF SWABS AND DISCHARGE UNITS.....	304
Table 19.1 MINIMUM COMPACTION OF EMBEDMENT, TRENCH FILL AND EMBANKMENTS.....	307
Table A.1 ASSET CATEGORISATION AND INDICATIVE PROTECTIVE TREATMENT SCHEDULE.....	328
Table B.1 Table B1 EQUIVALENT PE PIPE DIAMETER COPPER PIPE AS 1432:2004.....	335
Table B.2 EQUIVALENT PE PIPE DIAMETER COMMONLY SPECIFIED WATER PIPE MATERIALS AND SIZES.....	336
Table C.1 ALLOWABLE PRESSURES FOR TYPE F AND R OFF-TAKE CLAMPS.....	340
Table C.2 HEAD LOSS COEFFICIENTS*.....	343
Table C.3 PERMITTED CUTTER SIZES AND FLANGED OFF-TAKE CLAMP LENGTHS FOR CIOD COMPATIBLE HOST PIPES.....	344
Table C.4 PERMITTED CUTTER SIZES AND FLANGED OFF-TAKE CLAMP LENGTHS FOR SERIES 1 PVC AND ABS HOST PIPES.....	346
Table C.5 PERMITTED CUTTER SIZES AND FLANGED OFF-TAKE CLAMP LENGTHS FOR SERIES 1 PE AND OTHER ISO SIZED HOST PIPES.....	348
Table D.1 BOOSTER CONFIGURATION APPLICATION GUIDANCE.....	352
Table E.1 TANK OPERATING CONDITIONS AND LIMITATIONS.....	382
Table G.1 FIELD TESTING OF SOILS TO ESTIMATE ALLOWABLE HORIZONTAL BEARING PRESSURE.....	394
Table H.1 MAXIMUM HYDRANT SPACINGS - TASWATER.....	396
Table H.2 MAXIMUM HYDRANT SPACINGS - NSW.....	396
Table H.3 MAXIMUM HYDRANT SPACINGS – QLD.....	397
Table H.4 MAXIMUM HYDRANT SPACINGS – VIC.....	397
Table I.1 C.t VALUES - MINIMUM CHLORINE RESIDUAL/CONTACT TIME (C.t) FOR THE DISINFECTANT - (BASED ON THE LOWEST MEASURED FCR).....	401
Table I.2 DRINKING WATER QUALITY PARAMETER SAMPLE TOLERANCE LIMITS.....	404
Table I.3 NON-DRINKING WATER QUALITY PARAMETER	

SAMPLE TOLERANCE LIMITS..... 405