



WATER SERVICES  
ASSOCIATION OF AUSTRALIA

# INDUSTRY STANDARD

## FOR TAPPING FERRULES

WSA 134 - 2023

First Edition  
Version 1.0

2023

## ACKNOWLEDGMENTS

---

The WSAA Board would like to express its appreciation to WSAA Members and staff for their contributions to the development of the first edition of this Standard. Contributions from other industry organisations and individuals are also gratefully acknowledged. WSAA particularly acknowledges the technical input and contribution of the following participants in the development of this Standard:

Peter Pittard	WSAA
Carl Radford	WSAA
Mohamed Yoosuf	Greater Western Water
Stephanie Stager	Reliance Worldwide Corporation Limited
Jimmy Wang	Wenac Australia Pty Ltd
John Comino	Strongcast Pty Ltd
Fred Licciardello	Iplex Pipelines Australia Pty Limited
Feroz Mohammed	Iplex Pipelines Australia Pty Limited

## PUBLICATION HISTORY

This water industry standard was issued on 28<sup>th</sup> of April 2023 following a public review period that closed on 17th March 2023.

## ABOUT WSAA

The Water Services Association of Australia (WSAA) is the peak industry body representing the urban water industry. Our members provide water and sewerage services to over 24 million customers in Australia and New Zealand and many of Australia's largest industrial and commercial enterprises.

## ACKNOWLEDGEMENT OF COUNTRY

The Water Services Association of Australia acknowledges and pays respect to the past, present and future Traditional Custodians and Elders of this nation. We recognise their continuing connection to land and waters and thank them for protecting our waterways and environment since time immemorial.

## DISCLAIMER

This standard is issued by the Water Services Association of Australia Ltd and individual contributors are not responsible for the results of any action taken on the basis of information in this report, nor any errors or omissions. While every effort has been made to ensure the accuracy of that information, the Water Services Association of Australia (WSAA) does not make any claim, express or implied, regarding it.

## COPYRIGHT

© Water Services Association of Australia Ltd, 2023

## ALL RIGHTS RESERVED

This Standard is copyrighted. Apart from any use as permitted under the Copyright Act 1968, no part of this document may be reproduced or transmitted in any form or by any means, electronically or mechanical, for any purpose, without the express written permission of the Water Services Association of Australia Ltd.

For more information please contact [info@wsaa.asn.au](mailto:info@wsaa.asn.au)

## **PUBLICATION DETAILS**

Published by:

Water Services Association of Australia

Suite 802, Level 8

421 Docklands Drive

Docklands Vic 3008

ISBN No. 978-1-922808-11-0

**For more information, please contact [codes@wsaa.asn.au](mailto:codes@wsaa.asn.au)**

## PREFACE

---

This Standard was prepared by the Water Services Association of Australia (WSAA).

The objective of this Standard is to provide a specification for tapping ferrules commonly utilized in water supply pipelines.

This Standard will be withdrawn upon publication of an equivalent Australian Standard.

WSAA welcomes suggestions for improvements and encourages users to notify us immediately of any apparent inaccuracies or ambiguities. Users may use the feedback link on the side menu of this Standard to submit comments or suggested improvements.

Alternatively, you can also contact us via email at [codes@wsaa.asn.au](mailto:codes@wsaa.asn.au), or write to the National Codes Manager, Suite 8.02, Level 8, 401 Docklands Drive, Docklands, 3008.

To increase the likelihood of suggested amendments being adopted, it is recommended that users seek preliminary review by and support of a WSAA Member or other relevant organisation, for example, CSIRO, Civil Contractors Federation or PIPA for inclusion with the submission.

Comments or suggestions for improvements should be forwarded to [codes@wsaa.asn.au](mailto:codes@wsaa.asn.au) or

Water Services Association of Australia

Level 8, Suite 802,

402 Docklands Drive,

Docklands. VIC 3008 or

## CONTENTS

---

<b>ACKNOWLEDGMENTS</b>	<b>2</b>
<b>PREFACE</b>	<b>4</b>
<b>1 SCOPE AND GENERAL</b>	<b>6</b>
1.1 SCOPE	6
1.2 REFERENCED DOCUMENTS	6
1.3 DEFINITIONS	7
<b>2 MATERIAL REQUIREMENTS</b>	<b>7</b>
2.1 GENERAL	7
2.2 CORROSION-RESISTANT MATERIALS	8
2.3 CONTAMINATION OF WATER	8
2.4 ALLOWABLE PRESSURES	8
<b>3 DESIGN</b>	<b>8</b>
3.1 WALL THICKNESS	8
3.2 HEIGHT	9
3.3 JUMPER VALVES	9
3.4 SPINDLE CAP DIMENSIONS	9
3.5 FERRULE BENDS	9
3.6 ISOLATION MECHANISM FOR LIVE TAPPING	9
3.7 CONNECTIONS	9
3.7.1 Inlet connections	9
3.7.2 Body to bonnet connections	9
3.7.3 Outlet connections for ferrules	10
3.7.4 Outlet connections for ferrule bends	10
<b>4 PERFORMANCE TESTS</b>	<b>10</b>
4.1 TYPE TESTS	10
4.1.1 General	10
4.1.2 Seal hydrostatic leaktightness test	10
4.1.3 Body strength test	10
4.1.4 Torque test for flow isolation operating mechanism	10
4.1.5	11
<b>5 BATCH RELEASE TESTS</b>	<b>11</b>
5.1.1 Seal hydrostatic leaktightness test	11
5.1.2 Body leaktightness test	11
<b>6 MARKING</b>	<b>11</b>
<b>APPENDIX A MEANS FOR DEMONSTRATING CONFORMITY WITH THIS STANDARD</b>	<b>12</b>
<b>APPENDIX B PURCHASING GUIDELINES</b>	<b>14</b>
A1 B1 GENERAL	14
A2 B2 INFORMATION TO BE SUPPLIED BY THE PURCHASER	14